

Annexure-V

**Maharashtra University of Health Sciences, Nashik.**  
**Inspection Committee Report for Academic Year 2025-2026**  
**Clinical Material in Hospital**

**Faculty - Nursing**

Name of College - Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist- Sangli.

**Hospital Details**

<b>Sr. No.</b>	<b>Particulars to be verified</b>	<b>Adequate /Inadequate</b>						
1	<p>The Institute/College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.)</p> <p><b>Parent Hospital 100 Bedded Affiliated 6 Hospital each more than 50 bedde</b></p>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Parent - 100</td> <td style="width: 30%;">Affiliated - 250</td> <td style="width: 40%;">Adequate</td> </tr> <tr> <td>Total - 350</td> <td></td> <td></td> </tr> </table>	Parent - 100	Affiliated - 250	Adequate	Total - 350		
Parent - 100	Affiliated - 250	Adequate						
Total - 350								
a.	Whether Hospitals registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Yes						
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) 1 : 3	Adequate						
c.	Average Bed Occupancy in% : ( Minimum 75%)	85% Adequate						
d.	Clinical facilities for PG to be verified: (As per MSR)	NA						
	(i) Whether OPD is functioning to be verified	i) Yes						
	(ii) Total No of OPD (on the day of inspection)	ii)						
	(iii) Average Number of patients attending OPD (current year)	iii) 33169						
	(iv) Average Number of Delivery (Current year)	iv) 2610						
	(v) Average Number of abnormal Delivery (Current year)	v) 1407						
	<ul style="list-style-type: none"> <li>• As per Central Council Norms/University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents. it should be available on college website</li> <li>• In case of "Inadequate", it must be mark as "Inadequate" with evidence. To be submit to university with report.</li> </ul>							

Here by I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge.

Any Other, Please Specify:-

---



---



---



---

Date: - 30/01/2025

# महाराष्ट्र शासन



सन १९४९ च्या दि बांग्ले नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No. 1105

## रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

### CERTIFICATE

दि बांग्ले नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री/ श्रीमती ओ. उमाजीराव सनमडीकर  
मेडिकल एडेशन अंतर्गत यांचे कामळ और्थिपेडिक केंद्र  
खालील पत्त्यावर निमाडी काळीर, जत  
नर्सिंग होम/मॅट्रीनिंग होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. ५०१  
Registration No.

प्रसुतीसाठी  
Maternity

कॉट्स  
Cots

रजिस्ट्रेशन दिनांक  
Date of Registration

इतर रुग्णांसाठी १००  
Other Nursing Patients

कॉट्स  
Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२६ पर्यंत कार्यवाहीत राहील.

The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०४/२०२३



जिल्हा शाल्य विकासक, सांगली  
Dr. Sanjay B. Sajunkhe  
Local Supervisory Authority, Sangli.  
M.S. (E.W.T.)  
Reg. No. 58630  
Civil Surgeon, P.V.P.G.H., Sangli.

महाराष्ट्र



शासन

सन १९४९ च्या दि बांधे नसिंग होम्स रजिस्ट्रेशन अँकुटच्या कलम ५ अन्वये दिलेले  
(मुद्रित आवृत्ती २००५) क्रमांक No. 1178

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

**CERTIFICATE**

दि बांधे नसिंग होम्स रजिस्ट्रेशन अँकुटच्या कलम ५ अन्वये श्री/ श्रीमती डॉ. शाळीवाहन विश्वनाथ  
पटेलांडोटी यांचे अभ्युरेश्वर होम्सिटल

खालील पत्त्वावर विनापुर रोड, जत

नसिंग होम/मॅट्रिनिंग होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. ५ - ६०६  
Registration No.

प्रसुतीसाठी  
Maternity

कॉट्स  
Cots

रजिस्ट्रेशन दिनांक  
Date of Registration

इतर रुग्णांसाठी ५०  
Other Nursing Patients

कॉट्स  
Cots

सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.

Certificate shall be valid up to 31 March

ठिकाण : - सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate : - ०१/०४/२०२४



जिल्हा शास्त्र चिकित्सक, सांगली  
तथा  
Local Supervisory Authority, Sangli.  
Dr. Vikramasinh Bhahusaheb Kadare

Kamal In of Nursing M.S. (Gen. Surgeon)  
Education, Jath, Dist-Sangli Regd. No. - 80422  
District Civil Surgeon, Sangli

महाराष्ट्र



शासन

सन १९४९ च्या दि बांध्ये नसिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये दिलेले  
(मुख्यारित आवृत्ती २००५) क्रमांक No. 1201

### रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

## CERTIFICATE

दि बांध्ये नसिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये श्री/ श्रीमती डॉ. विठा शंकर नंगडी  
यांचे श्री कृष्ण मॅटर्निटी हॉस्पिटल,  
खालील पत्त्याकर श्री. केंच राया भविष्य नवळ, वळवळ, बोड, जन  
नसिंग होम/मॅटर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र.	८-५७	प्रसुतीसाठी ५०	कॉट्स
Registration No.		Maternity	Cots
रजिस्ट्रेशन दिनांक		इतर रुग्णांसाठी १०	कॉट्स
Date of Registration		Other Nursing Patients	Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.

The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०४/२०२६



जिल्हा शास्त्र चिकित्सक, सांगली  
ताबा  
Local Supervisory Authority, Sangli.  
Dr. Vikramasinh Bhahusaheb Kadamb  
M.S. (Gen. Surgeon)

Regd. No. - 80422

District Civil Surgeon, Sangli

Pratishthit  
Kamal Institute of Nursing  
Education & Research, Sangli

महाराष्ट्र शासन



सन १९४९ च्या दि बांग्ले नर्सिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ति २००५) क्रमांक No. 1067

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

**CERTIFICATE**

दि बांग्ले नर्सिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये श्री/ श्रीमती डॉ. विद्यायाचर आर. पाटील  
यांचे कालगोपाळ लहान मुऱांचे ठोस्पीट ठाळी  
खालील पत्त्यावर कलंसंग रोड, जत ता. - जत जि. - सांगली  
नर्सिंग होम/ मैट्रीनिंग होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. J - 510  
Registration No.

प्रसुतीसाठी  
Maternity

कॉट्स  
Cots

रजिस्ट्रेशन दिनांक  
Date of Registration

इतर रुग्णांसाठी 50  
Other Nursing Patients

कॉट्स  
Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२५ पर्यंत कार्यवाहीत राहील.

The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :-



Camal Institute of Nursing  
Education  
जिल्हा शास्त्र चिकित्सक, सांगली  
Local Supervisory Authority, Sangli.  
Dr. Sanjay B. Salunkhe  
M.S. (ENT)  
Reg. No. 58630  
Civil Surgeon, P.V.P.G.H., Sangli.

Civil Surgeon, P.V.P.G.H., Sangli.

महाराष्ट्र



शासन

सन १९४९ च्या दि बांध्ये नर्सिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No.

रजिस्ट्रेशन सर्टिफिकेट

1017

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

### CERTIFICATE

दि बांध्ये नर्सिंग होम्स रजिस्ट्रेशन अँकटच्या कलम ५ अन्वये श्री/ श्रीमती डॉ. मनोहर डॉ. रोहन  
मोदी यांचे मोदी अर्जिकल अ०३ मेर्यानी हार्डी इल

खालील पत्त्यावर Mahalana Pratap Chowk, Mangalwar Peth, Jath.

नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati Dr Manohar Modi/Dr Rohan Modi  
has been registered under the Mani Surgical & Maternity Hospital  
Bombay Nursing Homes Registration Act, 1949 in respect of Mahalana Pratap  
Chawk situated at Mangalwar Peth, Jath  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. No. ५८  
Registration No.

प्रसुतीसाठी २५  
Maternity

कॉट्स  
Cots

रजिस्ट्रेशन दिनांक  
Date of Registration

इतर रुग्णांसाठी २५  
Other Nursing Patients

कॉट्स  
Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२५ पर्यंत कार्यवाहीत राहील.

The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- १७/३/२०२२



जिल्हा शास्य चिकित्सक, सांगली  
Dr. Sanjay B. Salunkhe  
Local Superintendence Authority, Sangli.  
M.S. (ENT.)  
Regd. No. 58820



## MAHARASHTRA STATE MENTAL HEALTH AUTHORITY

(MSMHA)

Form-F

[See rule 66]

### CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Chandrashekhar Halingale

Address: - Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,  
Miraj, Dist. Sangli

No of beds: - 20

Permanent Registration Certificate No. 87/2024

The Permanent registration certificate No. 87/2024 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 11/01/2024

Dr. Swapnil Lale  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai

Seal of the Registration Authority

Registration Authority  
(MSMHA)

Pratik  
Committee of Nursing  
Dist. Sangli

Form - C

MHCA 2017- [See rule 11(3)]

**CERTIFICATE OF PROVISIONAL REGISTRATION**

The state authority after considering the application dated 01/06/2023 submitted by **NIMHS Hospital Private Limited** under section 65 (2) and section 66 (10) of the Mental Health Care act 2017, hereby accords provisional registration to the applicant mental health establishment in terms of section 66(4) as per the details given here under

Name: - **Dr. Chandrashekhar A. Halingale**

Address: - **Station Road near Railway Station, Miraj, Sangli**

Number of beds: - **30**



The provisional registration certificate issued is subject to the condition laid down in the Mental Health Care Act 2017 and the rules and regulation made there under and shall be valid for a period of twelve months from the date of its issue and can be renewed.

Place: -Mumbai

**GOVERNMENT OF  
MAHARASHTRA**

Date: -07/06/2023

Dr. Swapnil Lale  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai  
Seal of the Registration Authority

A handwritten signature in black ink, appearing to read "Dr. Swapnil Lale".  
Registration Authority





## Memorandum of Understanding

Between  
Kamal Institute of Nursing Education, Jath.  
&  
Balagopal Pediatric Hospital, Jath.

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Balagopal Pediatric Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms lead down.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

**Date:** 22/10/2021

  
Mr. Bharat Banda Sabale  
Chairman  
Shri Umajirao Sanamadikar Medical  
Foundation, Jath.

  
Dr. Vidyadhar R. Patil  
Balagopal Pediatric  
Hospital, Jath.

**Dr. Vidyadhar R. Patil**  
MBBS, DCH.  
Reg. No. 2008/06/2648

**BEFORE ME**  
  
ABV. BALASAHEB V. SAPKAL  
Notary Government of India  
Reg. No 10143  
A/P Mhaisal, Tal. Miraj, Dist. Sangli  
Reg. No. E398312101

Solemnly affirmed before me by  
Shri. Bharat B. Sabale  
who is identified before me by  
Shri. A. V. R. Patil  
whom I Purt...  


Noted & Registered  
At Serial Number...11751/2021





महाराष्ट्र MAHARASHTRA

● 2020 ●

YG 299127


मुद्राक किंमत रुपये 9002  
जर विधी नंबर 2429 रु.मु.किमता रुपय  
मुद्राक विक्रत प्रमाणान्वयन नाम  
श्री उमाजीराव सननडीकर मेडीकल ट्रॉडिशन जातीगंगली  
प्रमाणान्वयन नामांकन दिनांक 24/10/2029  
सिवरस



मुद्राक विक्रत प्रमाणान्वयन दिनांक 24/10/2029 जर तहासले आवार  
या कारणातील या मुद्राक विक्रत प्रमाणान्वयन याच वार्ता क्रमांक 2403002  
प्रमाणान्वयन नामांकन दिनांक 24/10/2029 सार्व विषयावधन सहीवाच प्रकार क्षमतावाला असून



24/10/2021  
MATERIAL VAGANT SARKAL  
GOVERNMENT OF INDIA  
24/10/2021  
Exp. Date  
25/05/2024  
JATH





## Memorandum of Understanding

Between  
Kamal Institute of Nursing Education, Jath,  
&  
Modi Surgical & Maternity Hospital, Jath.

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Modi Surgical & Maternity Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms lead down.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

**Date:** 23/10/2021

Mr. Bharat Banda Sabale  
Chairman  
Shri Umajirao Sanamadikar Medical  
Foundation, Jath.

*DR. M. S. MODI JATH*  
DR. M. S. MODI JATH  
MODI SURGICAL HOSPITAL  
Reg. No. 29727  
Dr. Manohar Shivappa Modi  
Modi Surgical & Maternity  
Hospital, Jath.

**Noted & Registered**  
At Serial Number. 11758/2021

**BEFORE ME**  
*ABP*  
ADV. BALASAHEB V. SAPKAL  
Notary Government of India  
Reg. No 10143  
1 P. Mhaisal, Tal. Miraj, Dist. Sangli  
Mob. No. 9890312121

**Solemnly affirmed before me by**  
**Shri. Bharat B. Sabale**  
**who is Identified before me by**  
**Shri. Adv. A. B. Dudhal**  
**whom I Personally Known.**






महाराष्ट्र MAHARASHTRA

● 2024 ●

27AB 169961

प्रदाक किंमत रुपये १००/- र.मु.किंमत रुपये १००/-  
जरा विक्री नंबर प५८८८ तारीख १०/१२/२०२४  
मुद्रांक विक्रय घेणा पाचे नांव Chairman  
राज्यकालीन निवास: राज्य फॉन्डेशन, जाती, डिस्ट्रिक्ट संगली  
कारण प्रदाक किंमत रुपये  
परवानाधारक मुद्रांक  
विक्रेत्यादी भाव य सही }  
या कागजाती ज्वानी मुद्रा सरेदी केलेलं द्यावा करणारातील कूऱ्या द्यावा प्रदान करण्यात येते

मेरी रिप्रेक्युल अकाउंटाचे चार्टर्ड अकाउंटेन्ट  
मुद्रांक विक्रेत्यादी भाव य सही विक्रेत्यादी भाव  
मुद्रांक विक्रेत्यादी भाव य सही विक्रेत्यादी भाव  
मो. ०२२२४०३१५२५





**Memorandum of Understanding**  
Between  
**Kamal Institute of Nursing Education, Jath**  
&  
**Mayureshwar Hospital, Jath**

**Subject:- Regarding Training for Nursing Students.**

For the Purpose of Providing clinical experience to the Nursing Students of **Kamal Institute of Nursing Education, Jath** Tal- Jath, Dist- Sangli at **Mayureshwar Hospital, Jath** have agreed to utilize to clinical facilities as per the curriculum. Both Parties will follow the rules regulation & norms lead down.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.


13 FEB 2025

Date:- 10/02/2025.

Mr. Bharat Bonda Sable  
Chairman

Shri Umajirao Sapamadik <sup>Medical</sup>  
Shri Umajirao Sapamadik <sup>Medical</sup>  
Medical Foundation, Jath  
Foundation, Jath, Dist. Sangli

Dr. Shaliwahan V. Pattanshetti  
Mayureshwar Hospital, Jath



**BEFORE ME**

Adv. B. V. SAPKAL

Notary Government of India  
Reg. No. 10113

A/P. Miraj, Tal. Miraj, Dist. Sangli,  
Mob. No. 9890312101

Noted & Registered  
At Serial Number.....

2453 | 2025





## महाराष्ट्र MAHARASHTRA

© 2020 ©

YH 536108

29 Oct 2021

Sub Treasury Officer, Jath

 परमार्थ गुरुदात  
विज्ञात्यादि नाम व लक्ष्मी

२०२२ फरवरी तिथी दिन श्री विष्णु विजय तिथी दिन  
मुख्य विष्णुवारा यथा भवतित व्यापार  
प्रधानाना द्वारा दिनांक २०२२-०२-२२

Noted & Registered  
at Serial Numbers 3924  
7021.

30 OCT 2021



**Memorandum of Understanding**  
Between  
Kamal Institute of Nursing Education, Jath.  
&  
Nirmal Hospital and De Addiction Centre Miraj.  
**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Nirmal Hospital and De Addiction Centre Miraj Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms lead down.


Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

**Date:** 29/10/2021

Mr. Bharat Banda Sabale  
Chairman  
Shri.Umajirao Sanamadikar Medical  
Foundation, Jath.  
Shri.Umajirao Sanamadikar Medical Foundation, Jath.

Dr.Chandrashekhar Halingale  
Nirmal Hospital and  
De Addiction Centre, Miraj.



Av. Rajendra S. Patil  
NOTARY Reg. No. 6188  
GOVT. OF INDIA  
Sangli District M.9822607466

30 OCT 2021





महाराष्ट्र MAHARASHTRA

मुद्राक किंमत रूपये १०८२

© 2020 ए.म.किमत रुपर्का

YG 299125

मुद्राक प्राप्ति १४८

2420

तारीख २२/१९०२०२०

ਆਤ ਪ੍ਰਕਾ ਸਥਾ

二十一

## Index

## મુદ્રાક વિકાસ વિભાગ

ଶ୍ରୀ କୃତ୍ତବ୍ୟ

जोराव सनमडाकर मडाकल फोड़शङ्का

मुद्राक प्रिक्टिकल घेणार्यांसाठी/अगाडा

આ કારણથી જીવની મુદ્દાએ હારેદું કલ્પ રહ્યા રહ્યાંને

प्रिया महील  
मुद्राक नम्रता जत तहसिल आगार  
परवाना छमाक २४०३००२

~~Sub Treasury Officer, Jath~~



1940-1941  
SCHOOL  
YEAR  
REPORT  
TO  
THE  
PARENTS  
AND  
TEACHERS  
OF  
THE  
STUDENTS  
OF  
THE  
SCHOOL  
YEAR  
1940-1941



Noted & Registered  
At Serial Number: 11769/2021

### Memorandum of Understanding

Between  
Kamal Institute of Nursing Education, Jath.  
&  
Shri Krupa Maternity Hospital, Jath.

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Shri Krupa Maternity Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms lead down.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

**Date:** 22/10/2021

Mr. Bharat Banda Sabale  
Chairman  
Shri Umajirao Sanamadikar Medical  
Foundation, Jath.

Dr. Veena Shankar Tangadi  
Shri Krupa Maternity  
Hospital, Jath.  
Dr. Mrs. VEENA S. TANGADI  
M.B.B.S.,DGO

**BEFORE ME**

*Bapkal*

ADV. BALASAHEB V. SAPKAL  
Notary Government of India  
Reg. No 10143  
A/P Mhaisal, Tal. Miraj, Dist. Sangli  
Mob. No. 9890312111

Solemnly affirmed before me by  
Shri. Bharat B. Sabale  
who is identified before me by  
Shri. Adv. A. B. D. Bapkal  
whom I personally know.



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0233-2672032  
Fax:0233-2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

ORANGE/  
No:-Format1.0/SRO/UANNo.0000171710/CO/2307001301

Date:20/07/2023

To,  
M/s. Modi Surgical and Maternity Hospital  
C.S.NO.1944, A/p. Jath,  
Tal- Jath, Dist- Sangli -416404  
Email:[rohanmodi7000@gmail.com](mailto:rohanmodi7000@gmail.com) Contact No.:9834800364



*Combined Consent to 1st Operate and Bio Medical Waste Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:** Your application for Combined Consent to Establish and 1<sup>st</sup> Operate and Bio- Medical Waste Authorization dated 07/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1<sup>st</sup> operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transport boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV)** and **Annexure (I-II)** enclosed in this order.

1. Grant of Combined Consent to Establish and 1<sup>st</sup> Operate and Biomedical Waste Authorization for the period up to 31.05.2026.
2. The capital investment of the HCF is ₹53.99 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 419.00M<sup>2</sup> with Built-up area 350.00M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: 50 Nos. (As per BNH certificate no. jath 58 valid up to 31-03-2025)
    - I. General Beds: 25 Nos
    - II. Maternity Beds: 25 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air(P&CP)Act,1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

**Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Surya Central Treatment Facility, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPCB as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital authority shall obtain prior permission i.e. Combined Consent to Operate and Bio medical waste authorization from Maharashtra Pollution Control Board at least 60 days before validity of existing Consent to Operate.
18. The Hospital Authority shall provide a scientific close arrangement for storage of Bio medical waste with Bio hazard symbol and also Non-hazardous waste, and products and shall strictly not carry out un consented activity/products within the premises.
19. The validity of this Combined Consent and Bio medical waste authorization is decided based on the Undertaking submitted by the Hospital Authority dated 14.07.2023.
20. The Combined Consent and Bio medical waste authorization fees calculated and communicated to the Hospital Authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/ deemed fee on top priority after communication from the MPCB Office.



5d76486f  
48bbe5cc  
543b9dbc  
acb7bf5a  
da5800fe  
0996bd62  
562b11c1  
a25c785b

Signed by: **Shri. Navanath Sambhaji Awatade**  
Sub Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
srosangli@mpcb.gov.in  
2023-07-20 13:29:18 IST

#### Received Consent/Authorization fee of-

Sr. No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	16250.00	TXN2306000984	07/06/2023	Online Payment
2	3000.00	TXN2307002720	20/07/2023	Online Payment

#### Copy to:

1. Regional Officer, MPCB, Kolhapur for information.  
- They are directed to ensure the compliance of the consent conditions.
- SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Annexure-I

**Conditions under Water(P&CP), 1974Act:(ReferConditionNo.5)**

**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	1.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..

**C.** You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr.No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD(3days27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent	

**D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

**E.** You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

**F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

**G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure-II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P&CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Animal Anatomical Waste	0.00		
		c)Soiled Waste	2.00		
		d) Expired or Discarded Medicines	2.00		
		e)Chemical Waste	2.00		
		f)Chemical Liquid Waste	5.00	Separate collection system leading to effluent treatment system.	
		g)Discarded linen, mattresses, beddings contaminated with blood or body fluid.	1.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h)Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with non chlorinated chemicals on-site as per National AIDS Control Organization or World Health Organization guidelines there after sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a)Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Metallic body implants	0.00		

## SCHEDULE-II

### Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Surya Central Treatment Facility, Sangli and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store BioMedical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bin sand bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

#### SCHEDULE-III

##### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

##### **The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly ad have to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall hand over to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0233-2672032  
Fax:0233-2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

ORANGE/S.S.I  
No:-Format1.0/SRO/UANNo.0000187519/CO/2401001070

Date:09/01/2024

To,  
M/s. Balgopal Childrens Hospital  
Valsang road, Jath Tal.  
Dist. Sangli - 416 412.  
Email:[drvidyadhar.patil@gmail.com](mailto:drvidyadhar.patil@gmail.com)  
Contact No.:9168189662



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

Ref:1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000187519& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 21/11/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.10.2026.
2. The capital investment of the HCF is ₹89.15Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 456.00M<sup>2</sup>with Built-up area 415.43 M<sup>2</sup>.
4. Activities Included
  - a. Total Number of Beds: 50Nos. (As per BNH certificate no. J510 valid upto 31-03-2025)
    - i. Other Beds: 50Nos
5. Conditions under the Water(P&CP)Act,1974:-
  1. Quantity of total water consumption shall not exceed 4.5M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. Conditions under the Air(P&CP)Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**Condition under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Surya Center Treatment Facility Pvt Ltd, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
5. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
6. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
7. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
8. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
9. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital Authority shall provide a scientific close arrangement for the storage of Bio medical waste with a Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out unconsented activity/products within the premises.
18. The Combined Consent to Operate and Bio-medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.
19. Hospital Authority shall operate the Effluent /Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
20. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Bio medical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Bio medical waste Annual report without fail.



*Mutade*

4e23c243  
a4115f9a  
e16dec5e  
cc0c5e17  
f069d663  
461ec7a7  
7b7a31b6  
1ec7f610

Signed by: **Shri. Navanath Sambhaji Awatade**  
Sub Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
srosangli@mpcb.gov.in  
2024-01-09 11:03:02 IST

**Received Consent/Authorization fee of-**

Sr.No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	25000.00	TXN2311002841	21/11/2023	Online Payment
2	8411.00	TXN2401001328	06/01/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Annexure-I

**Condition sunder Water(P&CP), 1974Act:(ReferConditionNo.5)**

**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	4.50
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	3.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

**C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.**

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD(3days27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

**D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**

**E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.**

**F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.**

**G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

Annexure-II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P&CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with non chlorinated chemicals on-site as per National AIDS Control Organization or World Health Organization guidelines thereafter sent to BMW- CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	10.00	Red coloured non chlorinated plastic bags or containers.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

#### SCHEDULE-II

#### **Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical wastetreatmentandDisposalfacilitySuryaCenterTreatmentFacilityPvtLtd, Sangli and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of BioMedical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

### SCHEDULE-III

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note:** You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4monthsadditional. Submit a fresh Bank Guarantee for the newly added Activity/Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4 months additional.

#### SCHEDULE-IV

#### General Conditions

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly ad have to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall hand over to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall prefer ably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications with in the plant
21. You shall provide personal protection equipment as per norms of Factory Act1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [pso@mpcb.gov.in](mailto:pso@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000151477/CE/2303000127

Date: 02/03/2023

To,  
Shri Umajirao Sanamadikar Medical Foundation,  
Kamal Orthopedic Center, Jath  
C/O. Gut No. 523,  
Satara Road, Nigadi Corner, Jath,  
Tal: Jath,  
Dist.: Sangli - 416404.  
Email:[kocjath@gmail.com](mailto:kocjath@gmail.com)  
Contact No.:9822338014



*Grant of Consent to Establish & 1st Operate under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

Ref: 1. Your Consent to Establish application received to MPCB, HQ, Sion, Mumbai on 27.01.2023.  
2. This office email dated 19.01.2023.  
3. Information uploaded by you on 25.01.2023 & 27.01.2023.  
4. Your application for Combine Consent and Bio-Medical Waste Authorization dated 26/10/2022  
5. SCN for refusal of application issued on 30.01.2023.  
6. Information uploaded by you on 03.02.2023.  
7. Minutes of Personal Hearing dated 13.02.2023.  
8. Required information uploaded by you on 23.02.2023 & 24.02.2023.  
9. Additional Consent & Penal fees submitted by you on 07.04.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Trans boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 20-07-2022 To 20-07-2027
2. The capital investment of the HCF is ₹185.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 999.00 M<sup>2</sup> with Built-up area 130.00 M<sup>2</sup>.

**4. Activities Included**

- a. Total Number of Beds: 100 Nos. (As per BNH certificate no. J-01 valid up to 31-03-2023)
  - I. General Beds: 83 Nos.
  - II. ICCU/ICU Beds: 15 Nos.
  - III Operation Theatre: 2 Nos.
  - IV. Maternity Beds: 0 Nos.

**5. Conditions under the Water (P&CP) Act, 1974:-**

- 1. Quantity of total water consumption shall not exceed 25.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
- 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

- 1. You shall use the fuel for DG set as specified in the Annexure-II.
- 2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
- 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		Biological sludge of STP	20	Kg/Day	Gardening & manure.

**8. Conditions under Solid Waste Management rules 2016**

- 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

- 1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- 2. You shall segregate and handover BMW to BMW T&D CTF M/s Surya Central treatment Facility, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.

16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

17. Penal fees for delay in submission of application submitted by of Rs. 15,165/- has been received by Board.

18. You shall submit Bank Guarantee of Rs. 1,50,000/- towards compliance of condition mentioned at Schedule - III to Regional Officer, Pune within 15 days.

19. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Pune for verification purpose.



e26e3042  
01d29f78  
dbdc963f  
69991bc5  
0cfc339f  
edc5011f  
e8545568  
006181bb

Signed by: **Dr. J.B.Sangewar**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in  
2023-03-02 12:34:02 IST

#### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2210002665	15/07/2022	Online Payment
2	15000.00	TXN2113000216	01/12/2022	Online Payment
3	15165.00	TXN2213000199	04/01/2023	Online Payment

#### Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune  
- - They are directed to ensure the compliance of the consent conditions.
2. SRO They are directed to ensure the compliance of the consent conditions.
3. Cheif Accounts Officer, MPCB, Sion, Mumbai
4. I/C EIC- for record & website updating purpose.

Annexure - I

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	18	As per clause 'C'	100% Recycle and reuse for gardening, flushing and cleaning purpose.
2	Trade effluent	01.000	As per clause 'C'	100% Recycle

**C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.**

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH		6.5-9.0
2	Oil & Grease		10
3	BOD (3 days 27°C )		30
4	COD		250
5	Total Suspended Solids		100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

**D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**

**E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.**

**F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.**

**G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG set (30 KVA)	Diesel	3.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	75.00	Yellow colored non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	90.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow colored non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with no chlorinated chemicals on-site as per National AIDS Control Organization or World Health Organization guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	150.00	Red colored non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue colored marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Metallic body implants	30.00		

## SCHEDULE-II

### **Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility M/s Surya Central treatment Facility for Bio Medical West, Miraj and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six	25,000.00
2	To install adequate capacity of Sewage / Effluent Treatment Plant to treat the sewage/ effluent generated from Hospital.	Six	50,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note:** You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

## SCHEDULE-IV

### **General Conditions**

#### **The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly ad have to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---



# MAHARASHTRAPOLLUTIONCONTROLBOARD

Tel:0231-2652952  
0231-2660448  
Fax:0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)

Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

RED/S.S.I  
No:- Format1.0/RO/UAN  
No.0000143516/CO/2209000756

Date:14/09/2022

To,  
M/S-Mayureshwar Hospital,Dr.Shaliwahan  
Vishwanath Pattanshetti  
WardNo.5,H.No.400PlotNo.6&7BijapurRoad,Jath  
Tal.Jath,Dist.Sangli.



**Sub: Granted Combine Consent to Operate under Red Category**

**Ref:** Your application for Combine Consent and Bio-Medical Authorization dated 14.07.2022

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Operate and BMW authorization is granted upto: 31.12.2024
2. The capital investment of the project is Rs.0.52 Crs. (As per C.A Certificate submitted by industry ).
3. The Consent is valid for the Activity of

SrNo	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	70.00	Sq.Mtrs
c)	Total Built up Area	30.00	Sq.Mtrs

4. Conditions under Water(P&CP)Act,1974 for discharge of effluent:

SrNo	Description	Permitted(in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	0	As per Schedule-I	NA
2.	Domestic effluent	0.5	As per Schedule-I	On Land for Gardening

5. Conditions under the Air(P&CP)Act, 1981 for air emissions:

Sr. No	Description of stack/source	Number of Stack	Standards to be achieved
1	D.G.Set(15KVA)	1	As per Schedule-II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

SrNo	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	NA	NA

8. Treatment and Disposal of Bio medical Waste generated to CBMW TSDF:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment &Disposal
1	Yellow	a)Soiled Waste	2.00	Yellow colored non-chlorinated plastic bags or containers	SURYA BIO MEDICALWASTE PLOT NO D-60 MIDC MIRAJ
		b)Chemical Waste	15.00		
		c) Chemical Liquid Waste	3.00		
2	White (Translucent)	Waste sharps including Metals	1.00	Punctureproof, Leak proof, tamper proof container	SURYA BIO MEDICALWASTE PLOT NO D-60 MIDC MIRAJ

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPCB Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorized user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit detail of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.
- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

12. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government agencies.



415c4dec  
91bf4489  
5d0b1d4a  
6a38e4c9  
dd95b3b9  
bea82da5  
b7e074e4  
87747aa6

Signed by: **J. S. Salunkhe**  
Regional Officer  
For and on behalf of:  
**Maharashtra Pollution Control Board**  
rokohapur@mpcb.gov.in  
2022-09-14 14:47:01 IST

#### Received Consent fee of-

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	4500.00	TXN2207001482	14/07/2022	Online Payment
2	7500.00	TXN2207001484	14/07/2022	Online Payment

0

#### Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Sangli
  - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

### **SCHEDULE-I**

#### **Terms & conditions for compliance of Water Pollution Control:**

1. A]Generation-Nil  
B]Treatment-NA  
C]Disposal - NA
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 0.5 CMD of sewage.  
B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening/outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr.No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

## SCHEDULE-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO <sub>2</sub>
1	D.G. Set(15KVA)	Dust Collector	10	Diesel	3Ltr/Hr	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain abovementioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150mg/Nm <sup>3</sup>
--------------------------	---------------	-----------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from an acoustic enclosure/ room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

**SCHEDULE-III**  
**DetailsofBankGuarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amtof BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
			NA			

\*\*The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

**Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:**

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000

**BG Forfeiture History**

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
			NA			

**BGReturndetails**

Srno.	Consent(C2E/C2O/C2R)	BGimposed	Purposeof BG	Amountof BG Returned
			NA	

#### SCHEDULE-IV

##### **General Conditions:**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide reports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contained in the HW (MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for landfilling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EPRules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0233 - 2672032  
Fax: 0233- 2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

ORANGE/S.S.I  
No:- Format1.0/SRO/UAN No.0000173554/CO/2403001239

Date: 13/03/2024

To,  
M/s. Nirmal Hospital,  
Station road, Near Pujari Hospital,  
Miraj city, Dist. Sangli - 416 410  
Email:[nirmalhospital12345@gmail.com](mailto:nirmalhospital12345@gmail.com)  
Contact No.:9011800419



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

**Ref:**

1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000173554& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.05.2025.
2. The capital investment of the HCF is **₹61.43 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 259.00 M<sup>2</sup> with Built-up area 200.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **20 Nos. 0**
    - I. General Beds : **15 Nos**
    - II. Operation Theatre : **2 Nos**
    - III. Other Beds : **3 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 7 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**Conditions under Hazardous and Other Wastes(Management, Handling &**

**7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees / deemed fee on top priority after communication from the MPCB Office.
18. Hospital Authority shall operate the Effluent / Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
19. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Biomedical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Biomedical waste Annual report without fail.



*Mutade*

3161b5c1  
0af32f8c  
78ce7122  
d91115bf  
7d6ba538  
8924f063  
6782f086  
504abf66

Signed by: Shri. Navanath Sambhaji Awatade  
Sub Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
srosangli@mpcb.gov.in  
2024-03-13 18:19:02 IST

#### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2307004353	31/07/2023	Online Payment
2	19206.00	TXN2403002670	13/03/2024	Online Payment

#### Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste b) Animal Anatomical Waste c) Soiled Waste d) Expired or Discarded Medicines e) Chemical Waste f) Chemical Liquid Waste g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. h) Microbiology Biotechnology and other clinical laboratory waste	6.00 0.00 10.00 0.00 0.00 22.00 27.00 0.00	Yellow coloured non- chlorinated plastic bags.  Separate collection system leading to effluent treatment system.  Yellow coloured non - chlorinated plastic bags or suitable packing material.  Autoclave safe plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware b) Metallic body implants	0.00 0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli

#### SCHEDULE-II

##### **Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

Annexure - I

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

**A. Water Consumption Details:-**

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	5.00	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

**C.** You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C )	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

**D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

**E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

**F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

**G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

### **SCHEDULE-III**

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

##### **The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0233-2672032  
Fax:0233-2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

ORANGE/  
No:-Format1.0/SRO/UANNo.0000179097/CO/2310000687

Date:10/10/2023

To,  
Shrikrupa Hospital,  
Near Kanchria Temple,  
Walsang road, Jath, Dist. Sangli.  
Email: [drveenatangadi@gmail.com](mailto:drveenatangadi@gmail.com)  
Contact No.:9404227090



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

Ref:1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000179097& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 17/08/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV)** and **Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.07.2025.
2. The capital investment of the HCF is ₹120.60 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 813.00M<sup>2</sup> with Built-up area 586.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: 50 Nos. (As per BNH certificate no.J59 valid up to 31-03-2024)
    - i. General Beds: 10 Nos.
    - ii. Maternity Beds: 40 Nos.
5. **Conditions under the Water(P&CP)Act,1974:-**
  1. Quantity of total water consumption shall not exceed 7 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage /Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air(P&CP)Act,1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

**Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	0	As per Actual	Kg	MPCB Authorized party

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016(As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Surya Central Treatment Facility, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
5. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
6. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
7. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
8. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
9. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address [REDACTED] and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

---

This certificate is digitally & electronically signed.

---

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital authority shall obtain prior permission i.e. Combined Consent to Operate and Bio medical waste authorization from Maharashtra Pollution Control Board at least 60 days before validity of existing Consent to Operate.
18. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
19. The Hospital Authority shall provide a scientific close arrangement for storage of Bio medical waste with Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out un consented activity/products within the premises.
20. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.



*Wutade*



Signed by: **Shri. Navanath Sambhaji Awatade**  
 Sub Regional Officer  
 For and on behalf of,  
**Maharashtra Pollution Control Board**  
 srosangli@mpcb.gov.in  
 2023-10-10 16:21:07 IST

**Received Consent/Authorization fee of-**

Sr. No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	82500.00	TXN2308002827	17/08/2023	Online Payment
2	30682.00	TXN2310000472	04/10/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.  
 - They are directed to ensure the compliance of the consent conditions.
- SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Annexure-I

**Conditions under Water (P&CP), 1974 Act:(Refer Condition No. 5)**

**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.0	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable

**C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.**

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

**D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**

**E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.**

**F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.**

**G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

**Annexure-II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air(P&CP)Act,1981  
and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	1.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with non chlorinated chemicals on-site as per National AIDS Control Organization or World Health Organization guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Metallic body implants	0.00		

## SCHEDULE-II

### Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Surya Central Treatment Facility, Sangli and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non- chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of BioMedical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

#### SCHEDULE-III

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid up to the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

##### **The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forth with reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended timeto time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste"withsymbolonwastecontainers/bagsandshallhandovertoBMWCTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall prefer ably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of FactoryAct1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**


---




**SURYA CENTER TREATMENT FACILITY PVT. LTD.**  
**BIO MEDICAL WASTE DISPOSAL PLANT**



CST.NO. 79,79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416  
 Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJCS9911R1ZC  
 MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

**Registration Certificate**

Certificate # : SC20242504324

Date: 22-10-2024

This is to certify that **NIHMS Hospital Private Limited, Opp Ashwini Canteen Station Road, Miraj, Miraj City, Tal. : Miraj, Dist. :Sangli, Pin: 416410** is registered with **Surya Center Treatment Facility Pvt. Ltd. Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	:	Dr. Chandrashekhar A Hallingale Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	:	Not Applicable-Being Psychiatric Hospital instead of Bombay Nursing, certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate Date- 07-06-2023 under Section-65(2) & section 66(10) Mental Health care Act 2017. Not Available 30 Not Available
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	:	- 18-10-2024 30 31-03-2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	:	- 31-03-2025 30
5	MPCB Consent (Establish/ 1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	:	----- ----- -----
-	Remarks: CCA NOT OBTAINED APPLICATION NOT SUBMITTED.	:	



*Meghna Kore*

**Authorized Signature**  
 Name: Meghna Kore  
 Designation: Director

# SURYA CENTER TREATMENT FACILITY PVT. LTD.

## BIO MEDICAL WASTE DISPOSAL PLANT



CST.NO. 79.79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416


Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJC59911R1ZC

MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification

Certificate #: SC20242504295



Online Verification

Date: 18-10-2024

### Registration Certificate

This is to certify that Nirmal Neurosyphilitic Centre (Unit I), Near Shree Hospital, Station Road, Miraj, Miraj City, Tal. : Miraj, Dist. : Sangli, Pin: 416410 is registered with Surya Center Treatment Facility Pvt. Ltd. Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Chandrashekhar Appasaheb Halingale. Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	Not Applicable-Being Psychiatric Hospital, instead of Bombay Nursing, certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate no.87/2024 Not Available 20 Not Available
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-04-2024 20 31-03-2025
4	Renewal of CTF Membership (If Applicable) Renewal Date No. of Beds Registered	31-03-2025 20
5	MPCB Consent (Establish/ 1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	ORANGE/S.S.I No:- Format 1.0/SRO/UAN No.0000173554/CO/2403001239 03-03-2024 31-05-2025

Remarks:



Meghna Kore

Authorized Signature  
Name: Meghna Kore  
Designation: Director

**SURYA CENTER TREATMENT FACILITY PVT. LTD.**  
**BIO MEDICAL WASTE DISPOSAL PLANT**



C/o Kore Lawns, Sahayog Nager Near Sphurli Chowk, Vishrambag, Sangli-416415  
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB  
Licence No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

**Registration Certificate**

Certificate # : SC20242502602

Date: 10/04/2024

This is to certify that Rohan Modi Surgical, & Maternity Hospital, Mangalwar Peth, Jath, Jat City, Tal. : Jat, Dist. : Sangli, Pin: 416404 is registered with Surya Center Treatment Facility Pvt. Ltd., Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Rohan Manohar Modi Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	J-58 01-07-2022 50 31/03/2025
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-04-2024 50 10/04/2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	10/04/2025 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Up to	Orange No Format 1.0 SRO/UAN No. 000171710/CO/2307011301 20/07/2023 31/05/2026

Remarks:



*Meghana Kore*

**Authorized Signature**  
Name: Meghana Kore  
Designation: Director

**SURYA CENTER TREATMENT FACILITY PVT. LTD.**  
**BIO MEDICAL WASTE DISPOSAL PLANT**



C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415  
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB  
Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

**Registration Certificate**

Certificate # : SC20222300149

Date: 15/05/2024

This is to certify that **Dr. Shalivahan Vishwanath Pattanshetti, Mayurishwar Hospital, A/P Jath, Vijaypur Road, Jath, Tal. : Jat, Dist. : Sangli, Pin: 416404** is registered with **Surya Center Treatment Facility Pvt. Ltd., Sangli** for Management of Bio Medical Waste in accordance with the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Shalivahan Vishwanath Pattanshetti Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	J-606 01/04/2024 50 31/03/2027
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-04-2024 50 31-03-2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	31-03-2025 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	- -

**Remarks:** Authorization renewal not till date, BNH issue date not mentioned, consent Not obtained.



*Teghava Rajeer  
Kor.*

**Authorized Signature**  
Name: Meghana Kore  
Designation: Director


**SURYA CENTER TREATMENT FACILITY PVT. LTD.**  
**BIO MEDICAL WASTE DISPOSAL PLANT**



C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415  
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS991IR1ZC MPCB  
Licence No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

**Registration Certificate**

Certificate # : SC20222300312

Date: 28/07/2023

This is to certify that Shri Kripa Maternity Hospital, Near s t stand, Jath, , Tal. : Jat, Dist. : Sangli, Pin: 416404 is registered with Surya Center Treatment Facility Pvt. Ltd., Sangli for Management of Bio Medical Waste in accordance with the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Veena Shankar Tangadi Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	J-59 28/07/2023 50 31/03/2024
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-04-2023 50 31-03-2024
4	Renewal of CTIF Membership (if Applicable) Renewal Date No. of Beds Registered	31-03-2024 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	SRO-Sangli-Buw Atla/ 1703000437/2017 23-03-2017 31/05/2017
	Remarks: Authorization renewal not till date, BNH issue date not mentioned, consent Not obtained.	



*Teghawna Rajeen  
Kore*

**Authorized Signature**  
Name: Meghana Kore  
Designation: Director




## SURYA CENTER TREATMENT FACILITY PVT. LTD.

### BIO MEDICAL WASTE DISPOSAL PLANT



C/o Kore Lawns, Sahayog Nager Near Sphurli Chowk, Vishrambag, Sangli-416415  
 Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB  
 Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



### Registration Certificate

Certificate # : SC20222301516

Date: 04-12-2023

This is to certify that Kamal Orthopedic Center, Satara Road, Nigadi corner, Jath, , Tal. : Jat, Dist. :Sangli, Pin: 416410 is registered with Surya Center Treatment Facility Pvt. Ltd., Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Kailas umaji Sanamdikar Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	Not Obtained 01-04-2023 100 31-03-2026
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-04-2023 100 31-03-2024
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	31-03-2024 100
5	MPCB Consent (Establish/1st Operate/Renewal) Details Concent / CCA Number Issue Date Validity Upto	— — —

Remarks: CCA Not obtained Application not submitted.



*Meghana Kore*

Authorized Signature  
 Name: Meghana Kore  
 Designation: Director



## आरोग्य विभाग, जिल्हा प्रशिक्षण केंद्र, सांगली

दुरध्वनी - ०२३३-२३७३०३२, २३७४४६२  
Email Address :- zpdhosan@yahoo.co.in

वैद्यकीय अधिकारी, जिल्हा प्रशिक्षण केंद्र, सांगली  
आरोग्य विभाग, जिल्हा परिषद सांगली  
कार्यालय - सिव्हील कॅम्पस, सांगली. ४१६४१६

जा.क.आरोग्य/जिप्रके/खा.नर्सिंग अनु.परवानगी/ १४९ /२०२४

दि. ०८-०२-२०२४

### आरोग्य सेवा

प्रति,

मा.उपसंचालक सोा.  
आरोग्य सेवा कोल्हापूर मंडळ कोल्हापूर,

विषय :- खाजगी निमवैद्यकीय संस्थेच्या विद्यार्थीना शासकीय संस्थेमध्ये अनुभवाकरिता परवानगी मिळणे वाबत.....

चेरमन, श्री. उमाजीराव सनमडीकर मेडीकल फौडेशन, जत संचलित कमल इन्स्टिट्यूट ऑफ नर्सिंग एज्यूकेशन जत ता.जत जि.सांगली.

संदर्भ :- १) शासन निर्णय क्र.प्राअस-२०१२/६३९/प्र.क. ११७/आरोग्य-४ मंत्रालय मुंबई.  
दि. १८ सप्टेंबर, २०१२.

२) चेरमन, श्री. उमाजीराव सनमडीकर मेडीकल फौडेशन, जत संचलित कमल इन्स्टिट्यूट ऑफ नर्सिंग एज्यूकेशन जत ता.जत जि.सांगली. याच्याकडील दिनांक ०४/०४/२०२५ रोजीचा अर्ज.

महोदय,

ज्याअर्थी संदर्भ क्र.२ चे पत्रा अन्वये चेरमन, श्री. उमाजीराव सनमडीकर मेडीकल फौडेशन, जत संचलित कमल इन्स्टिट्यूट ऑफ नर्सिंग एज्यूकेशन जत ता.जत जि.सांगली. यांनी सन २०२२-२३ पासून प्रस्तावीत (नवीन) बी.एस्सी.नर्सिंग (B.Sc. Nursing) अभ्यासक्रम सुरु केला आहे. या नर्सिंग कोर्स मधील विद्यार्थी/विद्यार्थीनीना प्राथमिक आरोग्य केंद्र, वळसंग ता.जत येथे प्रॅक्टिकल व ग्रामीण आरोग्य विषयक अनुभवासाठी जाण्याची प्रथम वर्पासाठी परवानगी मिळवी या वाबतचा अर्ज दि. ०४/०४/२०२५ रोजी या कार्यालयास प्राप्त झालेला आहे.

त्याअर्थी संदर्भ क्रमांक १ अन्वये अट क्र.१० नुसार जास्तीत जास्त ३ वर्षा करीता खाजगी शिक्षण संस्था/सार्वजनिक ट्रस्ट यांच्या मार्फत चालविण्यात येणाऱ्या शासन मान्य निमवैद्यकीय व परिचर्या विषयक अभ्यासक्रमाच्या विद्यार्थी/विद्यार्थीनीना आरोग्य विभागांतर्गत चालविण्यात येणाऱ्या शासकीय संस्थामधिल खाटा प्रात्यक्षिक अनुभवासाठी वापरण्याची परवानगी देण्याचे अधिकार शासनास प्रदान केलेचे नमूद केले आहे. त्यानुसार सन २०२५-२६ या प्रथम वर्पासाठी चेरमन, श्री. उमाजीराव सनमडीकर मेडीकल फौडेशन, जत संचलित कमल इन्स्टिट्यूट ऑफ नर्सिंग एज्यूकेशन जत ता.जत जि.सांगली. या खाजगी संस्थेचा प्रस्ताव शिफारशीसह आपल्या कार्यालयास सादर करीत आहे. तरी सदर संस्थेला प्रथम वर्पाकरीता आपल्या संस्थेकडे प्राक्टीकल व प्रात्यक्षिक अनुभवासाठी परवानगी मिळावी हि विनंती.

आपला विश्वासू

(डॉ. विजयकांत वाघ)  
जिल्हा आरोग्य अधिकारी  
जिल्हा परिषद सांगली.

सोबत :- प्रस्ताव

प्रत माहितीसाठी -

चेरमन, श्री. उमाजीराव सनमडीकर मेडीकल फौडेशन, जत संचलित कमल इन्स्टिट्यूट ऑफ नर्सिंग एज्यूकेशन जत ता.जत जि.सांगली.

महाराष्ट्र शासन		आरोग्य सेवा
<b>ग्रामीण रुग्णालय, जत, ता. जत, जि. सांगली</b>		
कार्यालय दुरध्वनी :- (०२३४४) २४८६८९ MAIL - jath.ruralhosital@gmail.com.	जा.क्र.ग्रामीण खाजगी परीचर्या. / १८३८५/२५, दिनांक :- २१/०४/२०२५	

✓प्रति,

मा.जिल्हा शल्य चिकित्सक सोा,  
प.वसंतदादा पाटील, शासकीय रुग्णालय, सांगली.

**विषय :- खाजगी परीचर्या संस्थामधील विद्यार्थी विद्यार्थीनीना प्रात्यक्षिक  
अनुभवाकरीता परवानगी मिळणेबाबत...**

संदर्भ :- मा.अध्यक्ष, श्री उमाजीराव सनमडीकर, मेडिकल फॉउंडेशन जत, यांचा दिनांक  
१६/०४/२०२५ रोजीचा प्राप्त प्रस्ताव.

महोदय,

उपरोक्त संदर्भिय विषयास अनुसरुन आपणांस सादर करणेत येते की, मा.अध्यक्ष, श्री उमाजीराव सनमडीकर, मेडिकल फॉउंडेशन जत, संचलित कमल इन्सिट्युट ऑफ नर्सिंग एज्युकेशन जत या नर्सिंग महाविद्यालयात B.Sc Nursing हा चार अभ्यास क्रमात शिकत असलेल्या प्रशिक्षणार्थीनीना या रुग्णालयात अनुभवाकरिता परवानगी मिळणे बाबतचा प्रस्ताव या रुग्णालयास दिनांक १६/०४/२०२५ रोजी प्राप्त झाला आहे.

मा.अध्यक्ष, श्री उमाजीराव सनमडीकर, मेडिकल फॉउंडेशन जत, संचलित कमल इन्सिट्युट ऑफ नर्सिंग एज्युकेशन जत, यांना नर्सिंग महाविद्यालयात B.Sc Nursing हा चार अभ्यास क्रमात शिकत असलेल्या प्रशिक्षणार्थीनीना या रुग्णालयात अनुभवाकरिता परवानगी मिळणे बाबतचा विहित नमुन्यातील प्रस्ताव व या रुग्णालयाकडून शिफारस करण्यात येत आहे. तरी आपल्या माहीतीसाठी व पुढील योग्यते कार्यवाहीसाठी सविनय सादर.

आपली विश्वासू,

*तात्त्व*

(डॉ. भा. शि. पाटील)  
वैद्यकीय अधिक्षक वर्ग-१  
ग्रामीण रुग्णालय, जत, जि. सांगली.

प्रत माहीतीसाठी सादर:-

मा.अध्यक्ष, श्री उमाजीराव सनमडीकर, मेडिकल फॉउंडेशन जत, संचलित कमल इन्सिट्युट ऑफ नर्सिंग एज्युकेशन जत, जि. सांगली.